

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** EnaWhite Power
- **Article number:** COSMO35..
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** see point 3)
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Micerium spa., Via G. Marconi, 83 - 16036 Avegno (GE), Italy, Tel.: +39-0185-7887870, Fax: +39-0185-7887970
- **Further information obtainable from:** Dr. Eugenio Miceli
- **1.4 Emergency telephone number:**  
Poison Control Center San Martino Hospital (Genoa, Italy) Tel.: +39-010-352808 (available 24 h)

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger

- **Hazard-determining components of labelling:**

hydrogen peroxide solution

- **Hazard statements**

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **Precautionary statements**

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Labelling of packages where the contents do not exceed 125 ml**
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger

(Contd. on page 2)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

**Trade name: EnaWhite Power**

(Contd. of page 1)

- **Hazard-determining components of labelling:**  
hydrogen peroxide solution
- **Hazard statements**  
H318 Causes serious eye damage.
- **Precautionary statements**  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Dental-bleaching based on hydrogen-peroxide

- **Dangerous components:**

CAS: 7722-84-1 EINECS: 231-765-0	hydrogen peroxide solution ----- ⚠ Ox. Liq. 1, H271; ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H332	25-50%
CAS: 56-81-5 EINECS: 200-289-5	glycerol substance with a Community workplace exposure limit	2.5-10%
CAS: 7757-79-1 EINECS: 231-818-8	potassium nitrate ----- ⚠ Ox. Sol. 2, H272	< 2.5%

- **Additional information** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** Immediately remove any clothing soiled by the product.
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact**  
Immediately rinse with water.  
If skin irritation continues, consult a doctor.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing**  
Rinse out mouth and then drink plenty of water.  
Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

Trade name: *EnaWhite Power*

(Contd. of page 2)

- **5.3 Advice for firefighters**
- **Protective equipment:** *No special measures required.*

### **SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures** *Not required.*
- **6.2 Environmental precautions:**  
*Dilute with plenty of water.*  
*Do not allow to enter sewers/ surface or ground water.*
- **6.3 Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Dispose contaminated material as waste according to item 13.*  
*Ensure adequate ventilation.*
- **6.4 Reference to other sections**  
*See Section 7 for information on safe handling*  
*See Section 8 for information on personal protection equipment.*  
*See Section 13 for disposal information.*

### **SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling** *Ensure good ventilation/exhaustion at the workplace.*
- **Information about fire - and explosion protection:** *No special measures required.*
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** *Store in refrigerator.*
- **Information about storage in one common storage facility:**  
*Store away from flammable substances.*  
*Store away from reducing agents.*  
*Store away from metals.*
- **Further information about storage conditions:**  
*Keep receptacle tightly sealed.*  
*Protect from heat and direct sunlight.*  
*Store in a cool place. Heat will increase pressure and may lead to the receptacle bursting.*
- **7.3 Specific end use(s)** *No further relevant information available.*

### **SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical facilities:** *No further data; see item 7.*

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**7722-84-1 hydrogen peroxide solution**

WEL	Short-term value: 2.8 mg/m <sup>3</sup> , 2 ppm
	Long-term value: 1.4 mg/m <sup>3</sup> , 1 ppm

**56-81-5 glycerol**

WEL	Long-term value: 10 mg/m <sup>3</sup>
-----	---------------------------------------

- **Additional information:** *The lists valid during the making were used as basis.*

- **8.2 Exposure controls**

- **Personal protective equipment**
- **General protective and hygienic measures**  
*Keep away from foodstuffs, beverages and feed.*  
*Immediately remove all soiled and contaminated clothing*  
*Wash hands before breaks and at the end of work.*  
*Avoid contact with the eyes and skin.*

(Contd. on page 4)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

Trade name: *EnaWhite Power*

(Contd. of page 3)

- **Respiratory protection:** Not required.
- **Protection of hands:** Protective gloves.
- **Material of gloves:** Natural rubber, NR
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Tightly sealed goggles.
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

<b>Form:</b>	Pasty
<b>Colour:</b>	Red
<b>Odour:</b>	Weak, characteristic
<b>Odour threshold:</b>	Not determined.

<b>pH-value at 20 °C:</b>	7.3
---------------------------	-----

##### · Change in condition

<b>Melting point/Melting range:</b>	undetermined
<b>Boiling point/Boiling range:</b>	100 °C

<b>Flash point:</b>	160 °C
---------------------	--------

<b>Flammability (solid, gaseous)</b>	Not applicable.
--------------------------------------	-----------------

<b>Ignition temperature:</b>	400 °C
------------------------------	--------

<b>Decomposition temperature:</b>	Not determined.
-----------------------------------	-----------------

<b>Self-igniting:</b>	Product is not selfigniting.
-----------------------	------------------------------

<b>Danger of explosion:</b>	Product does not present an explosion hazard.
-----------------------------	---

##### · Explosion limits:

<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.

<b>Vapour pressure at 20 °C:</b>	23 hPa
----------------------------------	--------

<b>Density at 20 °C:</b>	1.2 g/cm <sup>3</sup>
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

##### · Solubility in / Miscibility with

<b>Water:</b>	Fully miscible
---------------	----------------

<b>Partition coefficient (n-octanol/water):</b>	Not determined.
---	-----------------

##### · Viscosity:

<b>dynamic at 20 °C:</b>	20000 mPas
<b>kinematic:</b>	Not determined.

<b>9.2 Other information</b>	No further relevant information available.
------------------------------	--

### SECTION 10: Stability and reactivity

- 10.1 Reactivity
- 10.2 Chemical stability
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

**Trade name: EnaWhite Power**

(Contd. of page 4)

- **10.3 Possibility of hazardous reactions**  
Reacts with various metals  
Reacts with reducing agents  
Reacts with catalysts  
Acts as an oxidizing agent on organic materials such as wood, paper and fats
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity**
- **LD/LC50 values relevant for classification:** LD-50/dermal > 2000 mg/kg rab
- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Strong irritant with the danger of severe eye injury.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.  
Harmful  
Irritant

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

· <b>European waste catalogue</b>
06 13 99   wastes not otherwise specified

- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

Trade name: *EnaWhite Power*

(Contd. of page 5)

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

· 14.1 UN-Number  
· ADR, IMDG, IATA

UN2014

· 14.2 UN proper shipping name  
· ADR  
· IMDG, IATA

2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION  
HYDROGEN PEROXIDE, AQUEOUS SOLUTION

· 14.3 Transport hazard class(es)

· ADR



· Class  
· Label

5.1 (OC1) Oxidising substances.  
5.1+8

· IMDG



· Class  
· Label

5.1 Oxidising substances.  
5.1/8

· IATA



· Class  
· Label

5.1 Oxidising substances.  
5.1 (8)

· 14.4 Packing group  
· ADR, IMDG, IATA

II

· 14.5 Environmental hazards:

· Marine pollutant:

No

· 14.6 Special precautions for user

Warning: Oxidising substances.

· Danger code (Kemler):

-

· EMS Number:

F-H,S-Q

· Segregation groups

Peroxides

· 14.7 Transport in bulk according to Annex II of  
MARPOL73/78 and the IBC Code

Not applicable.

· Transport/Additional information:

· ADR

· Limited quantities (LQ)

1L

· Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· Transport category

2

· Tunnel restriction code

E

(Contd. on page 7)

GB

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.08.2015

Version: 7

Revision: 26.08.2015

**Trade name: EnaWhite Power**

(Contd. of page 6)

· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	1L
· <b>Excepted quantities (EQ)</b>	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· <b>UN "Model Regulation":</b>	UN2014, HYDROGEN PEROXIDE, AQUEOUS SOLUTION, 5.1 (8), II

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Technical instructions (air):**

Class	Share in %
NK	2,5-10

- **Waterhazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H271 May cause fire or explosion; strong oxidiser.  
H272 May intensify fire; oxidiser.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H332 Harmful if inhaled.
- **Department issuing MSDS:** Micerium S.p.a.
- **Contact:** Dr. Eugenio Miceli
- **Abbreviations and acronyms:**  
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
Ox. Liq. 1: Oxidising Liquids, Hazard Category 1  
Ox. Sol. 2: Oxidising Solids, Hazard Category 2  
Acute Tox. 4: Acute toxicity, Hazard Category 4  
Skin Corr. 1A: Skin corrosion/irritation, Hazard Category 1A  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3
- **\* Data compared to the previous version altered.**