# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1 Product identifier

Product name : Incidin OxyFoam S

Product code : 116307E

Use of the : Surface Disinfectant

Substance/Mixture

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Surface disinfectant. Manual process

Recommended restrictions

on use

: Reserved for industrial and professional use.

### 1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

### 1.4 Emergency telephone number

Emergency telephone : +441618841235

number +32-(0)3-575-5555 Trans-European

Date of Compilation/Revision : 28.01.2021 Version : 1.8

# Section: 2. HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

116307E 1 / 11

# **Additional Labelling:**

Special labelling of certain : Safety data sheet available on request.

mixtures

### 2.3 Other hazards

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Mixtures

# **Hazardous components**

Chemical Name CAS-No. EC-No.		Classification REGULATION (EC) No 1272/2008	Concentration : [%]
	REACH No.	, ,	. [ /0]
Hydrogen peroxide	7722-84-1 231-765-0 01-2119485845-22	Nota B Oxidizing liquids Category 1; H271 Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Skin corrosion Category 1A; H314  Serious eye damage/eye irritation Category 1 8 - 100 % Serious eye damage/eye irritation Category 2A 5 - 8 % Oxidizing liquids Category 1 70 - 100 % Oxidizing liquids Category 2 50 - 70 % Skin corrosion/irritation Category 1A 70 - 100 % Skin corrosion/irritation Category 1B 50 - 70 % Skin corrosion/irritation Category 2 35 - 50 % Specific target organ toxicity - single exposure Category 3 H335 35 - 100 %	>= 1 - < 2.5
Glycolic acid	79-14-1 201-180-5 01-2119485579-17	Acute toxicity Category 4; H302 Acute toxicity Category 4; H332 Skin corrosion Category 1B; H314 Serious eye damage Category 1; H318  Serious eye damage/eye irritation Category 1 > 25 % Serious eye damage/eye irritation Category 2 8 - 25 % Skin corrosion/irritation Category 1B 60 - 100 % Skin corrosion/irritation Category 2 30 - < 60 % Skin corrosion/irritation Category 3 10 - < 30 %	>= 1 - < 2.5

For the full text of the H-Statements mentioned in this Section, see Section 16.

Section: 4. FIRST AID MEASURES

116307E 2/11

### 4.1 Description of first aid measures

In case of eye contact : Rinse with plenty of water.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Get medical attention if symptoms occur.

### 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

# 4.3 Indication of immediate medical attention and special treatment needed

Treatment : No specific measures identified.

### **Section: 5. FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Not flammable or combustible.

Hazardous combustion

products

: Depending on combustion properties, decomposition products

may include following materials:

Carbon oxides

# 5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Fire residues and contaminated fire extinguishing water must be

disposed of in accordance with local regulations.

### Section: 6. ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

: Refer to protective measures listed in sections 7 and 8.

Advice for emergency

responders

: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable

materials.

### 6.2 Environmental precautions

116307E 3/11

Environmental precautions : No special environmental precautions required.

### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Stop leak if safe to do so. Contain spillage, and then collect with

non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a

waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information.

For personal protection see section 8.

See Section 13 for additional waste treatment information.

# Section: 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Advice on safe handling : Do not mix with bleach or other chlorinated products – will cause

chlorine gas.

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

: Keep out of reach of children. Keep container tightly closed. Store

in suitable labeled containers.

Storage temperature : 5 °C to 25 °C

### 7.3 Specific end uses

Specific use(s) : Surface disinfectant. Manual process

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Hydrogen peroxide	7722-84-1	TWA	1 ppm 1.4 mg/m3	UKCOSSTD
		STEL	2 ppm 2.8 mg/m3	UKCOSSTD

#### **DNEL**

Hydrogen peroxide	:	End Use: Workers
		Exposure routes: Inhalation
		Potential health effects: Short-term - local
		Value: 3 mg/m3

116307E 4 / 11

End Use: Workers

Exposure routes: Inhalation

Potential health effects: Long-term local effects

Value: 1.4 mg/m3

### 8.2 Exposure controls

### Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

### Individual protection measures

Hygiene measures : Wash hands before breaks and immediately after handling the

product.

Eye/face protection (EN 166) : No special protective equipment required.

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the

exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

### **Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : clear, colourless
Odour : characteristic
pH : 2.01 - 2.3, 100 %

Flash point : Not applicable., Does not sustain combustion.

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture

Initial boiling point and

boiling range

: 100 °C

Evaporation rate : Not applicable and/or not determined for the mixture

116307E 5 / 11

Flammability (solid, gas) : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit : Not applicable and/or not determined for the mixture Vapour pressure : Not applicable and/or not determined for the mixture Relative vapour density : Not applicable and/or not determined for the mixture

: 1.01 - 1.016 Relative density

Water solubility : soluble

: Not applicable and/or not determined for the mixture Solubility in other solvents Partition coefficient: n-: Not applicable and/or not determined for the mixture

Auto-ignition temperature

octanol/water

: Not applicable and/or not determined for the mixture

Thermal decomposition : Not applicable and/or not determined for the mixture Viscosity, kinematic : Not applicable and/or not determined for the mixture Explosive properties : Not applicable and/or not determined for the mixture

Oxidizing properties : Yes

#### 9.2 Other information

Not applicable and/or not determined for the mixture

# Section: 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

Contamination may result in dangerous pressure increases - closed containers may rupture.

### 10.3 Possibility of hazardous reactions

Do not mix with bleach or other chlorinated products – will cause chlorine gas.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

None known.

### 10.6 Hazardous decomposition products

Depending on combustion properties, decomposition products may include following materials: Carbon oxides

# Section: 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

116307E 6/11

Information on likely routes of : Inhalation, Eye contact, Skin contact

exposure

**Product** 

Acute oral toxicity : Acute toxicity estimate : > 2,000 mg/kg

Acute inhalation toxicity : 4 h Acute toxicity estimate : > 20 mg/l

Test atmosphere: vapour

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

: There is no data available for this product. Reproductive effects

Germ cell mutagenicity : There is no data available for this product.

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

: Hydrogen peroxide LD50 rat: 486 mg/kg Acute oral toxicity

Glycolic acid LD50 rat: 1,938 mg/kg

Components

Acute inhalation toxicity : Hydrogen peroxide 4 h LC50 rat: 11 mg/l

Test atmosphere: vapour

Glycolic acid 4 h LC50 rat: 3.6 mg/l

Test atmosphere: dust/mist

**Potential Health Effects** 

: Health injuries are not known or expected under normal use. Eyes

Skin : Health injuries are not known or expected under normal use.

Ingestion : Health injuries are not known or expected under normal use.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

116307E 7/11

### **Experience with human exposure**

Eye contact : No symptoms known or expected.

Skin contact : No symptoms known or expected.

Ingestion : No symptoms known or expected.

Inhalation : No symptoms known or expected.

# **Section: 12. ECOLOGICAL INFORMATION**

### 12.1 Toxicity

Environmental Effects : This product has no known ecotoxicological effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to algae : Hydrogen peroxide72 h EC50: 1.38 mg/l

Glycolic acid72 h EC50: 44 mg/l

# 12.2 Persistence and degradability

**Product** 

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : Hydrogen peroxideResult: Not applicable - inorganic

Glycolic acidResult: Readily biodegradable.

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

### **Product**

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

116307E 8 / 11

#### 12.6 Other adverse effects

no data available

### Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

### 13.1 Waste treatment methods

Product : Diluted product can be flushed to sanitary sewer if regulations

permit.

Contaminated packaging : Dispose of in accordance with local, state, and federal regulations.

Guidance for Waste Code

selection

: Inorganic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

#### Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

### Land transport (ADR/ADN/RID)

14.1 UN number : Not dangerous goods14.2 UN proper shipping : Not dangerous goods

name

14.3 Transport hazard : Not dangerous goods

class(es)

14.4 Packing group14.5 Environmental hazards14.6 Special precautions forNot dangerous goodsNot dangerous goods

user

### Air transport (IATA)

14.1 UN number : Not dangerous goods14.2 UN proper shipping : Not dangerous goods

name

14.3 Transport hazard : Not dangerous goods

class(es)

14.4 Packing group14.5 Environmental hazards14.6 Special precautions forNot dangerous goodsNot dangerous goods

user

# Sea transport (IMDG/IMO)

116307E 9 / 11

14.1 UN number : Not dangerous goods14.2 UN proper shipping : Not dangerous goods

name

14.3 Transport hazard : Not dangerous goods

class(es)

14.4 Packing group
14.5 Environmental hazards
14.6 Special precautions for
Not dangerous goods
Not dangerous goods
Not dangerous goods

user

14.7 Transport in bulk : Not dangerous goods

according to Annex II of MARPOL 73/78 and the IBC

Code

# **Section: 15. REGULATORY INFORMATION**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture according to Detergents : less than 5 %: Anionic surfactants, Oxygen-based bleaching

Regulation EC 648/2004 agents

**Regulation (EU) 2019/1148 on the marketing and use of explosives precursors**This product is regulated (containing reportable or/and restricted substances) by Regulation (EU) 2019/1148 (explosives precursors): all suspicious transactions, significant disappearances and thefts should be reported to the relevant national contact point.

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

: Not applicable.

### **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

### **Section: 16. OTHER INFORMATION**

# Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification			
Not a hazardous substance or mixture.	Calculation method			

#### **Full text of H-Statements**

H271	May cause f	ira or av	nlocion.	strona oxidiser.
11211	iviay cause i	116 01 67	ADIOSIOII, I	SUUTIQ UNIUISET.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

116307E 10 / 11

H332

Harmful if inhaled.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM -American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL -Domestic Substances List (Canada); ECHA – European Chemicals Agency; EC-Number – European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx – Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC -International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 – Lethal Concentration to 50 % of a test population; LD50 – Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC No Observed (Adverse) Effect Concentration; NO(A)EL – No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR – (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT – Self-Accelerating Decomposition Temperature; SDS – Safety Data Sheet; TCSI – Taiwan Chemical Substance Inventory; TRGS – Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB -Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

116307E 11 / 11