

Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023
Page: 1 von 10

SECTION 1: Identification of the substance/preparation and of the company/undertaking

1.1. Product identifier

Name of product: **IMPRIMO® Cleaning Liquid**

UFI:

CAS No: 112-34-5

EC No: 203-691-6

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent

Uses advised against

Private households (= general public)

1.3. Details of the supplier of the safety data sheet

Manufacturer / distributor

SCHEU-DENTAL GmbH

Am Burgberg 20

D-58642 Iserlohn

Tel. +49 (2374) 9288-0

Fax +49 (2374) 9288-90

eMail: service@SCHEU-DENTAL.com

Internet: www.SCHEU-DENTAL.com

1.4. Emergency telephone number: +49 (2374) 9288-0

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Eye Irrit. 2, H319

2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Signal word: Warning

Pictograms: GHS07



Hazard statements

H319	Causes serious eye irritation
------	-------------------------------

Precautionary statements

P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+313	If eye irritation persists: Get medical advice/attention.

Special labelling of particular preparations:

none

2.3. Other hazards

-

Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023

Page: 2 von 10

SECTION 3: Composition / information on ingredients

3.1. Substances

Butyldiglycol

3.2. Mixtures

Not applicable

Composition/information on ingredients

Stoff:	CAS-No.:	REACH-No.:	Concentration:	Classification: EC 1272/2008 (CLP):	M, ATE, Note
Butyldiglycol	112-34-5	01-2119475104-44	100 %	Eye Irrit. 2, H319	M = 0 ATE (dermal) = No value can be determined ATE (oral) = No value can be determined ATE (inhalativ) = No value can be determined

Full text of H- and EUH-phrases: see Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General Information: Remove contaminated, saturated clothing immediately.
In case of inhalation: Provide fresh air. Seek medical attention if problems persist.
Following skin contact: After contact with skin, wash immediately with plenty of water and soap. In case of skin irritation, consult a physician.
After eyes contact: In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.
After ingestion: Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect)

4.2. Most important symptoms and effects, both acute and delayed

After eye contact

4.3. Indication of any immediate medical attention and special treatment needed

First Aid, decontamination, treatment of symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

ABC-powder, BC-powder, alcohol resistant foam. Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water spray jet. Full water jet. Excess water.

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon dioxide (CO₂). Carbon monoxide.

5.3. Advice for firefighters

General information

Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers. Use water spray jet to protect personnel and to cool endangered containers.

Special protective equipment for fire-fighters:

In case of fire: Wear self-contained breathing apparatus. Wear chemical resistant suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on protective equipment and keep unprotected persons away. Avoid contact with skin, eyes and clothing. Do not inhale vapours. Ventilate affected areas thoroughly. Close leaks, if possible without taking personal risk.

Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023
Page: 3 von 10

6.2. Environmental precautions

Do not allow to enter into surface or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

Advice on safe handling

When using do not eat, drink, smoke, sniff. Use only in well-ventilated areas. All work processes must always be designed so that the following is as low as possible: Inhalation. Skin contact.

Precautions against fire and explosion

Usual measures for fire prevention.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed and in a well-ventilated place.

Hints on joint storage

Do not store together with: Oxidizing agent.

7.3 Specific end use(s)

Observe instructions for use.

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

occupational exposure limit value

Substance	CAS-No.		Source	Occupational exposure limit value: [ppm]	Occupational exposure limit value: [mg/m ³]	Limitation of exposure peaks:	Remark:
Butyldiglycol	112-34-5	De	TRGS 900	10	67	1,5 (I)	EU, DFG, Y,11

Substance with a common (EC) occupational exposure limit value

Substance	CAS-No.		Source	Occupational exposure limit value: [ppm]	Occupational exposure limit value: [mg/m ³]	Limitation of exposure peaks:	Remark:
-----------	---------	--	--------	--	---	-------------------------------	---------

DNEL/PNEC values

DNEL value

Substance:	CAS-No.:	DNEL/DMEL
Butyldiglycol	112-34-5	population oral long-term, systemic 5 mg/kg bw/day worker dermal long-term, systemic 83 mg/kg bw/day population dermal long-term, systemic 50 mg/kg bw/day worker inhalative short-term, local 101,2 mg/m ³ worker inhalative long-term, systemic 67,5 mg/m ³ worker inhalative long-term, local 67,5 mg/m ³ population inhalative short-term, local 60,7 mg/m ³ population inhalative long-term, systemic 40,5 mg/m ³ population inhalative long-term, local 40,5 mg/m ³

Material Safety Data Sheet according to (EC) 1907/2006

Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023

Page: 4 von 10

PNEC-Wert

Substance:	CAS-No.:	PNEC
Butyldiglycol	112-34-5	aquatic, freshwater 1100 µg/l aquatic, marine water 110 µg/l sewage treatment plant 200 µg/l soil 320 µg/kg dw sediment, marine water 440 µg/kg dw sediment, freshwater 4400 µg/kg dw

Additional information

-

8.2. Exposure controls**Occupational exposure controls.**

Provide adequate ventilation as well as local exhaust at critical locations. Technical measures and the application of suitable work processes have priority over personal protection equipment.

General protection and hygiene measures

When using do not eat, drink, smoke, sniff. Wash hands before breaks and after work. Apply skin care products after work. Wash contaminated clothing prior to re-use.

Personal protection equipment

Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Hand protection

Tested protective gloves are to be worn: DIN-/EN-Norms: EN ISO 374

Suitable material: NBR (Nitrikautschuk) 0,4 mm / > 480 h

Eye/face protection

Eye glasses with side protection

Body protection:

Lab coat chemical resistant safety shoes.

Environmental exposure controls.

Refer to chapter 7. No further action is necessary.

Consumer exposure controls

Refer to chapter 7. No further action is necessary.

Exposure Scenario

Skin contact ingestion

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties****Appearance**

Physical state:	Liquid
Colour:	colourless
Odour:	ether-like
Odour threshold:	No data available

Safety relevant basis data

	Parameter	Value	Unit	Remark
Melting point/freezing point:		- 68	°C	
Initial boiling point and boiling range:		231	°C	
Flammability:				No data available
Lower flammability or explosive limits:				No data available
Upper flammability or explosive limits:				No data available
Flash point:		100 -110	°C	
Decomposition temperature:				No data available

Material Safety Data Sheet according to (EC) 1907/2006

Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023

Page: 5 von 10

pH:				No data available
Kinematic viscosity:				No data available
Water solubility (g/l):				No data available
Partition coefficient: n-octanol/water:				No data available
Vapour pressure:				No data available
Density:				No data available
Relative density:				No data available
Particle properties:				No data available

9.2. Other information

-

SECTION 10: Stability and reactivity**10.1. Reactivity**

No known hazardous reactions.

10.2. Chemical stability

No decomposition when used as intended.

10.3. Possibility of hazardous reactions

Reactions with strong oxidising agents.

Formation of peroxides in the presence of oxygen and light.

10.4. Conditions to avoid

No information available

10.5. Incompatible materials

Oxidising agent, strong; Aluminium, Zinc, Light metals; Strong acid

10.6. Hazardous decomposition products

In case of fire may be liberated. Carbon dioxide, Carbon monoxide

SECTION 11: Toxicological Information**11.1. Information on toxicological effects**

There are no data available on the preparation/mixture itself.

M-factor: -**Acute toxicity (oral):** > 2000**Acute toxicity (dermal):** > 2000**Acute toxicity (inhalative):** -**Acute toxicity**

Substance:	CAS-No.:	Toxicological information
Butyldiglycol	112-34-5	LD50 oral (rat) > 2000 mg/kg LD50 dermal (rabbit) > 2000 mg/kg NOAEL (rat) 250 mg/kg bw/Tag

Skin corrosion/irritation:

Based on available data, the classification criteria are not met.

Serious eye damage/irritation:

Causes serious eye irritation.

Respiratory of skin sensitisation:

May cause an allergic skin reaction.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity:

Based on available data, the classification criteria are not met.

Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023

Page: 6 von 10

Reproductive toxicity:

Based on available data, the classification criteria are not met.

STOT-single exposure:

Based on available data, the classification criteria are not met.

STOT-repeated exposure:

Based on available data, the classification criteria are not met.

Aspiration hazard:

Based on available data, the classification criteria are not met.

SECTION 12: Ecological Information

12.1. Toxicity

There are no data available on the preparation/mixture itself.

Ecotoxicity

Substance:	CAS-No.:	Ecotoxicity
Butyldiglycol	112-34-5	LC50 (fish, 96h) > 1000 mg/l LC50 (Daphnia, 48 h) > 1000 mg/l EC50 (algae, 72 h) > 100 mg/l

12.2. Persistence and degradability

There are no data available on the preparation/mixture itself.

12.3. Bioaccumulative potential

No information available.

12.4. Mobility in soil

No information available.

12.5. Results of PBT an vPvB assessment

Not applicable

12.6. Endocrine disruptive effect

No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product:

Dispose of waste according to applicable legislation.

Appropriate disposal / Package

Can be incinerated together with household waste in compliance with applicable technical regulations following consultation with approved waste disposal management companies and authorities in charge.

List of proposed waste codes/waste designations in accordance with EWC / AVV

According to EAKV, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

SECTION 14: Transport Information

Land transport (ADR/RID)

14.1. UN number:	No hazardous material according to transport regulations.
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packing group:	

Material Safety Data Sheet according to (EC) 1907/2006

Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023

Page: 7 von 10

Hazard label:	
Classification code:	
Special Provisions:	
Limited quantity:	
Transport category:	
Hazard No:	
Tunnel restriction code:	
Other applicable information (land transport)	

Inland waterways transport (ADN)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	
Hazard label:	
Classification code:	
Special Provisions:	
Limited quantity:	
Other applicable information (inland waterways transport)	

No hazardous material according to transport regulations.

Marine transport (IMDG)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	
Hazard label:	
Special Provisions:	
Limited quantity:	
EmS:	
Other applicable information (marine transport):	

No hazardous material according to transport regulations.

Air transport (ICAO)

14.1. UN number:	
14.2. UN proper shipping name:	
14.3. Transport hazard class(es):	
14.4. Packaging group:	
Hazard label:	
Special Provisions:	
Limited quantity Passenger:	
IATA-packing instructions - Passenger:	
IATA-max. quantity - Passenger:	
IATA-packing instructions - Cargo:	
IATA-max. quantity - Cargo:	
Other applicable information (air transport)	
Passenger-LQ:	

No hazardous material according to transport regulations.

14.5. Environmental hazards

ADR/RID / IMDG / ICAO-TI / IATA-DGR: no

Marine pollutant: no

14.6. Special precautions for user**Land transport (ADR/RID)**

Transport category: -

Special provisions: -

Tunnel restriction code: -

Limited quantity (LQ): -

Sea transport (IMDG)

EmS-No: -

Special provisions: -

Limited quantity (LQ): -

Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023
Page: 8 von 10

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Remark -

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information on Regulation (EC) No 166/2006 establishing a European Pollutant Release and Transfer Register:

-

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer:

-

Regulation (EC) No. 648/2004 (Detergents regulation)

-

Regulation (EC) No. 850/2004 [POP-Regulation]:

-

Regulation (EC) No. 649/2012 on the export and import of dangerous chemicals:

-

Use restriction according to REACH annex XVII, no.:

-

National regulatory information

Observe in addition any national regulations!

Restrictions of occupation

-

Other regulations, restrictions and prohibition regulations

-

15.2. Chemical Safety Assessment

For this preparation a chemical safety assessment has been carried out. Yes

For this substance a chemical safety assessment has been carried out.

SECTION 16: Other Information

Relevant H- and EUH-phrases (number and full text)

Hazard statements

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

Training advice

-

Recommended restrictions of use:

Refer to chapter 1.

Further information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Material Safety Data Sheet according to (EC) 1907/2006



Tradename:

IMPRIMO® Cleaning Liquid

Status: 13.02.2023

Page: 9 von 10

Key literature references and sources for data

SDB "Butyldiglykol", V5, 14.09.2018, Julius Hoesch GmbH & Co. KG

Abbreviations and acronyms

AC:	Artikelkategorie (Article Category)
ACGIH:	Rat für Arbeitsschutz und Gefahrstoffe, Amerika (American Conference of Government Industrial Hygienists)
ADN:	Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf Binnengewässern (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
ADR:	Europäisches Übereinkommen über die internationale Beförderung gefährlicher Güter auf der Straße (Accord européen relatif transport des marchandises dangereuses par route)
AGW:	Arbeitsplatzgrenzwert
AOX:	Adsorbierbare organisch gebundene Halogene (Adsorbable Organic halogen compounds)
Bw:	Körpergewicht (Body weight)
CMR:	Stoffe klassifiziert als Krebs erzeugend, Mutagen oder Reproduktionstoxisch (Carcinogenic, Mutagenic, toxic for Reproduction)
CSR:	Stoffsicherheitsbericht (Chemical Safety Report)
DIN:	Deutsches Institut für Normung / Deutsche Industrienorm
DNEL:	Grenzwert, unterhalb dessen der Stoff keine Wirkung ausübt (Derived No Effect Level)
DPD:	Zubereitungsrichtlinie / Richtlinie 1999-45-EC (Dangerous Preparations Directive)
DSD:	Stoffrichtlinie / Richtlinie 67-548-EC (Dangerous Substances Directive)
DU:	Nachgeschalteter Anwender (Downstream User)
EC50:	Wirksame Konzentration 50% (Effective Concentration 50%)
ECHA:	Europäische Chemikalienagentur
EN:	Europäische Norm
EWC/EWL:	Europäischer Abfallartenkatalog (European Waste Catalogue)
IATA:	Verband für den internationalen Lufttransport (International Air Transport Association)
IBC:	Großpackmittel (Intermediate Bulk Container)
ICAO:	Internationale Zivilluftfahrt-Organisation (International Civil Aviation Organization)
IMDG Code:	Gefahrgutvorschriften für den internationalen Seetransport (International Maritime Dangerous Goods Code)
IMO:	Internationale Seeschiffahrts-Organisation (International Maritime Organization)
ISO:	Internationale Normungsorganisation (International Standards Organisation)
LC50:	Lethale (Tödliche) Konzentration 50%
LD50:	Lethale (Tödliche) Dosis 50%
LEV:	Lokale Absaugung (Local exhaust ventilation)
MAK:	Maximale Arbeitsplatzkonzentration – DFG
n.a.:	nicht anwendbar
n.b.:	nicht bestimmt
OEL:	Arbeitsplatzgrenzwert (Occupational Exposure Limit)
PBT:	persistent, bioakkumulierbar, giftig (persistent, bioaccumulative, toxic)
PNEC:	Abgeschätzte Nicht-Effekt-Konzentration (Predicted No Effect Concentration)
PPE/PSA:	Persönliche Schutzausrüstung (Personal Protective Equipment)
REACH:	Registrierung, Bewertung und Zulassung von Chemikalien (Registration, Evaluation and Authorization of Chemicals)
RID:	Gefahrgutvorschriften für den Transport mit der Eisenbahn (Règlement International concernant le transport de marchandises dangereuses par chemin de fer)
STEL:	Grenzwert für Kurzzeitexposition (Short-term Exposure Limit)
SVHC:	Stoff sehr hoher Besorgnis (Substance of Very High Concern)
TLV:	Arbeitsplatzgrenzwert (Threshold Limit Value)
VOC:	Flüchtige organische Kohlenwasserstoffe (Volatile Organic Compounds)
vPvB:	sehr persistent, sehr bioakkumulierbar (very persistent, very bioaccumulative)